

POLYCAB

IDEAS. CONNECTED.


YOUR CONNECTION TO A SAFER FUTURE

House Wires & Cables Pricelist



India's Widest Range of Wires & Cables

We manufacture and sell a diverse range of wires and cables and our key products in the wires and cables segment are power cables, control cables, instrumentation cables, solar cables, building wires, flexible cables, flexible/single multi core cables, communication cables and others including welding cables, submersible flat and round cables, rubber cables, overhead conductors, railway signalling cables and specialty cables. We strive to deliver customized and innovative products with speed and quality service. Our production process is designed to ensure quality while delivering the ability to produce complex electrical products on short timeframes to meet our customers' needs.



Innovation & Sustainability

Polycab's house wires epitomize innovation and sustainability. We've invested heavily in research and development to create products that cater to our customers' dynamic needs while maintaining a strong commitment to safety and the environment. Polycab house wires are made from **lead free non-carcinogenic raw materials**. They meet stringent European norms and are RoHS and

REACH compliant.


Our R&D team is dedicated to pioneering ground-breaking solutions, with a focus on customer safety. We're proud to have engineered insulating compounds that ensure safety during fire emergencies and also possess a **high oxygen index**, setting new standards for **safety and environmental responsibility**.

Quality Focus

- Our manufacturing facilities are accredited with quality management system certificates for compliance with **ISO 9001, ISO 14001 and OHSAS 18001** requirements.
- Our products are also certified to be compliant with various national and international quality standards including Bureau of Indian Standards '**BIS**', British Approvals Service for Cables '**BASEC**', **UL** and international electrotechnical commission '**IEC**'.



EXTRA SAFE, LOW SMOKE WIRES



POLYCABMAXIMA+ PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1,360	28
1	1,840	24
1.5	2,685	16
2.5	4,220	12
4	6,170	8
6	9,225	6
10	16,225	1
16	24,000	1

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



LOW SMOKE
DURING EXTREME FIRES



LOW TOXIC
FUMES



20% HIGHER
HEAT RESISTANCE



LEAD FREE
PVC INSULATION



ANTI RODENT
PROTECTION



MOISTURE
RESISTANT



HIGH ABRASION
RESISTANCE




ENERGY SAVING
CONSTRUCTION



REACH
COMPLIANT

RoHS
COMPLIANT

99.97% HIGH
PURITY COPPER



HIGH QUALITY MATERIALS, POWER SAVING DESIGN



POLYCABOPTIMA+ PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1,295	28
1	1,750	24
1.5	2,555	16
2.5	4,040	12
4	5,910	8
6	8,820	6
10	13,180	1
16	20,800	1

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



**FLAME
RETARDANT**



**LEAD FREE
PVC INSULATION**



**ENERGY SAVING
CONSTRUCTION**



**ANTI RODENT
PROTECTION**



**MOISTURE
RESISTANT**



**HIGH ABRASION
RESISTANCE**


**REACH
COMPLIANT**

**RoHS
COMPLIANT**

**99.97% HIGH
PURITY COPPER**

POLYCAB

FLAME RETARDANT LEAD FREE WIRES



POLYCABOPTIMA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1,270	28
1	1,630	24
1.5	2,375	16
2.5	3,770	12
4	5,740	8
6	8,585	6

POLYCAB OPTIMA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:

**FLAME
RETARDANT**

**LEAD FREE
PVC INSULATION**

99.97%
COPPER

**HIGH ABRASION
RESISTANCE**

**EASY TO PULL
INSIDE CONDUITS**

**ANTI RODENT
PROTECTION**


**MOISTURE
RESISTANT**

REACH
COMPLIANT

RoHS
COMPLIANT



SUPERIOR QUALITY POCKET FRIENDLY PRICE



POLYCAB ETIRA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1,195	28
1	1,560	24
1.5	2,285	16
2.5	3,645	12
4	5,450	8
6	8,350	6

ETIRA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - FLAME RETARDANT (FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



**FLAME
RETARDANT**

99.97%


COPPER

**REACH
COMPLIANT**

**RoHS
COMPLIANT**



**EASY TO PULL
INSIDE CONDUITS**



180M POUCH PACKAGING

POLYCAB GREEN WIRE PRICELIST

SIZE (SQ.MM.)	180 METER POUCH PACKAGING	
	LP (₹)	COILS PER CARTON
1	3,680	12
1.5	5,365	10
2.5	8,435	6
4	12,340	4
6	18,450	3

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

POLYCAB LF FR PRICELIST

SIZE (SQ.MM.)	180 METER POUCH PACKAGING	
	LP (₹)	COILS PER CARTON
1	3,505	12
1.5	5,110	10
2.5	8,085	6
4	11,815	4
6	17,645	3

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

SUBMERSIBLE CABLES

ENGINEERED FOR EVERY ENVIRONMENT



Product Features



Tough & Flexible cables



Excellent moisture resistance



Highest quality electrolytic grade copper



High abrasion resistance

POLYCAB IND. 3C FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010



SUBMERSIBLE/ 3CF CABLE			
	PVC INSULATED PRICE PER 100 MTR. (DRUM PACKING 500/1000 MTRS.)	XLPE INSULATED PRICE PER 100 MTR. (DRUM PACKING 500/1000 MTRS.)	PVC INSULATED PRICE PER 100 MTR. (CORROGATED BOX PACKING)
1.5 SQ MM	8,550	8,980	8,380
2.5 SQ MM	13,260	13,960	13,000
4 SQ MM	19,545	20,540	19,150
6 SQ MM	28,815	30,260	28,220
10 SQ MM	50,150	52,645	
16 SQ MM	77,570	81,460	
25 SQ MM	1,21,240	1,27,325	
35 SQ MM	1,67,800	1,76,180	

TELEPHONE WIRE

DIAL FOR CLEARER CONVERSATIONS



Product Features



HDPE

Special grade
high density
polyethylene




Flame retardant
compound



PVC

Virgin grade
PVC resin



POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

TELEPHONE (SWITCHBOARD) CABLE				
	0.4 MM- 90 MTR	0.5 MM- 90 MTR	0.4 MM-100 MTR	0.5 MM-100 MTR
1 PAIR	595	830	660	920
2 PAIR	1,050	1,485	1,165	1,650
3 PAIR	1,540	2,200	1,710	2,445
4 PAIR	1,980	2,900	2,200	3,225
5 PAIR	2,430	3,600	2,700	4,000
10 PAIR		7,000		7,800
20 PAIR		13,500		15,000
50 PAIR				39,000
100 PAIR				76,325

COAXIAL & CCTV CABLES

TRUE TO LIFE PICTURE & SOUND QUALITY



Product Features




Minimum loss in signal strength for better reception



Higher bandwidth: larger network coverage



Low attenuation value: less electromagnetic interference



Minimal Structural Return Loss



Moisture Proof

POLYCAB INDUSTRIAL JELLY FLOODED CO-AXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

COAXIAL CABLE			
	100M UNARMoured	305M UNARMoured	1000M FLEXIBLE ARMoured
RG 59	2,030	6,190	
RG 6	2,555	7,790	83,950
RG 11	5,810	17,720	1,30,985
RG 6 CCS	1,650	5,025	
RG 11 CCS	3,320	10,115	

CCTV CABLE			
	90 MTR	180 MTR	1000 MTR
CCTV 3+1	3,300	6,600	
CCTV 4+1	3,600	7,200	
CCTV 4+1 (ARMoured)			1,12,785



LAN CABLES

EMPOWERING DATA FLOW




Product Features



Supports Gigabit Ethernet Standard



Higher bandwidth and lower signal loss




Effective transmission of high speed data



Efficient video and voice streaming

POLYCAB LAN (COMPUTER) CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.



LAN CABLE

	UOM	LP
CAT 5E UTP FR -PVC	305 MTR	10,660
CAT 6 UTP PVC-FR (WITHOUT SEPARATOR)	305 MTR	11,200
CAT 6 UTP PVC-FR (WITH SEPARATOR)	305 MTR	11,500
CAT 6 FTP FR PVC	305 MTR	17,655
CAT 6 A UTP PVC-FR	305 MTR	13,640
CAT 6 A FTP PVC-FR	305 MTR	20,940
CAT 6 SFTP PVC-FR	305 MTR	26,460
CAT6 UTP-ARMOURED / FLEXIBLE ARMOURED	1000 MTR	98,710
CAT6 FTP-ARMOURED / FLEXIBLE ARMOURED	1000 MTR	1,07,875
CAT6 A UTP-ARMOURED / FLEXIBLE ARMOURED	1000 MTR	1,11,940
CAT6 A FTP-ARMOURED / FLEXIBLE ARMOURED	1000 MTR	1,22,120
CAT 6 ECCS ARMOURED	305 MTR	24,930
CAT6 A - ECCS ARMOURED	305 MTR	27,475
CAT6 A SFTP - ECCS ARMOURED	305 MTR	35,110

SPEAKER WIRE

CRYSTAL CLEAR SOUND



Product Features



Special grade
high density
polyethylene



Flame retardant
compound




Virgin grade
PVC resin

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free Copper Conductor) (Rate in Rs. per 90 mtr)

SPEAKER	
SIZE	90 MTR
0.5 SQ MM	1,695
0.75 SQ MM	2,450
1 SQ MM	3,030
1.5 SQ MM	4,500
2 SQ MM	6,980
2.5 SQ MM	7,470
23/36	1,675
40/36	2,555
70/36	3,460
23/38	1,125
40/38	1,875
70/38	2,550




SCAN & EARN

Influencer Rewards Program



INSTALL
THE EXPERTS
APP TODAY



STEPS TO EARN



Register



Scan



Earn



Redeem

BENEFITS



Cashback



Training



Schemes



Engagement

To Register yourself in the **Polycab Experts Loyalty Program**

Reach out to your Polycab Sales Team Family

call on **1800 419 1091**

TERMS AND CONDITIONS APPLY

- This pricelist is only applicable for the states of Telangana, Karnataka, Gujrat, Bihar, Madhya Pradesh, West bengal, Andhra Pradesh, Rajasthan, Kerala, Tamil Nadu and Punjab
- The above rates are exclusive of GST which shall be charged extra.
- This pricelist is subject to change without notice.
- As per international practice which is also adopted by the Bureau of Indian Standards, the diameter of the conductor shown herein is nominal; the size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes & tables.

POLYCAB

IDEAS. CONNECTED.

Corporate Office:

POLYCAB INDIA LIMITED

#29, The Ruby, 21st Floor, Senapati Bapat Marg,

Tulsi Pipe Road, Dadar (West),

Mumbai - 400 028, Maharashtra (India)

Ph.: +91-22-2432 7070/4, 6735 1400

Email: enquiry@polycab.com, Toll Free No.: 1800 267 0008

Follow us on: [f](#) [X](#) [in](#) [@](#) [▶](#)

Website: www.polycab.com

*T&C