

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 09 Mar 2026

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES			
FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,895	20
10453	1.0	2,425	20
10454	1.5	3,655	12
10455	2.5	5,890	12
10456	4.0	8,785	8
10457	6.0	13,135	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES			
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,785	20
10303	1.0	2,455	20
10304	1.5	3,605	12
10305	2.5	5,750	12
10306	4.0	8,440	8
10307	6.0	12,640	4

Flame Retardant (FR) PVC Insulated Industrial Cables



SILVER PACK

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,755	20
10303	1.0	2,210	20
10304	1.5	3,295	12
10305	2.5	5,325	12
10306	4.0	8,150	8
10307	6.0	12,300	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	3,405	8
10313	1.0	4,420	8
10314	1.5	6,470	6
10315	2.5	10,515	4
10306016	4.0	16,390	4
10307016	6.0	24,630	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	1,140	30
10314	1.5	1,660	24
10315	2.5	2,710	24
10316	4.0	4,215	12
10317	6.0	6,330	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10312017	0.75	5,675	8
10313017	1.0	7,365	8
10314017	1.5	10,785	6
10315017	2.5	17,525	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10306015	4.0	18,210	4
10307015	6.0	27,365	3

Flamegard

Flame Retardant

Low Smoke(FR-LSH)



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,795	20
10113	1.0	2,330	20
10114	1.5	3,380	12
10115	2.5	5,420	12
10106	4.0	8,435	8
10107	6.0	12,615	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	3,435	8
10113016	1.0	4,460	8
10114016	1.5	6,515	6
10115016	2.5	10,630	4
10106016	4.0	16,475	4
10107016	6.0	24,685	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 09 Mar 2026



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10122017	0.75	5,725	8
10123017	1.0	7,435	8
10124017	1.5	10,860	6
10125017	2.5	17,715	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10126012	4.0	18,305	4
10127012	6.0	27,430	3

List Price wef. 09 Mar 2026



Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,840	20
10403	1.0	2,370	20
10404	1.5	3,460	12
10405	2.5	5,585	12
10406	4.0	8,630	8
10407	6.0	12,915	4



Flexible Cables

List Price wef. 09 Mar 2026

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,295	1,325
14002	0.75	1,875	1,920
14003	1.00	2,425	2,485
14104	1.50	3,565	3,655
14105	2.50	5,805	5,950
14206	4.00	9,025	9,250

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	13,560	13,900
14208	10	23,320	23,905
14209	16	36,410	37,320
14210	25	56,930	58,355
14211	35	79,505	81,495
14212	50	112,730	115,550
14513	70	164,320	168,430
14514	95*	217,325	222,760
14515	120*	279,140	286,120
14516	150*	345,700	354,340
14517	185*	427,290	437,970
14518	240*	561,825	575,870

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE							
FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010							
TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	3,185	3365	17102	1.5	7,745	7940
17002	0.75	4,450	4655	17102	2.5	12,625	12940
17002	1.00	5,590	5800	17202	4	19,800	20295

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathedwith PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	4,460	4645	17103	1.5	11,050	11325
17003	0.75	6,190	6405	17103	2.5	17,860	18305
17003	1.00	7,880	8075	17203	4	28,405	29115

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	5,730	5,930	17104	1.5	14,580	14,945
17004	0.75	7,995	8,195	17104	2.5	23,850	24,445
17004	1.00	10,185	10,440	17204	4	37,440	38,375

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colourand Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	8,555	8855	17106	1.5	22,275	22830
17006	0.75	12,150	12455	17106	2.5	35,835	36730
17006	1.00	15,950	16350	17206	4	56,480	57890

SEVEN CORES (1+6)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	10,095	10450	17108	1.50	25,365	26000
17008	0.75	14,190	14545	17108	2.50	41,930	42980
17008	1.00	18,125	18580	17208	4.00	65,500	67140

EIGHT CORES*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	11,165	11480	17108	1.50	29,280	30010
17008	0.75	15,870	16265	17108	2.50	47,180	48360
17008	1.00	20,455	20965	17208	4.00	74,785	76655

TEN CORES (2+8)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	13,980	14,370	17110	1.50	36,315	37225
17010	0.75	19,995	20,495	17110	2.50	59,105	60585
17010	1.00	25,560	26,200	17210	4.00	92,945	95270

TWELVE CORES (3+9)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	16,450	16,860	17112	1.50	43,300	44380
17012	0.75	23,815	24,410	17112	2.50	70,185	71940
17012	1.00	30,455	31,215	17212	4.00	111,120	113900

FOURTEEN CORES (4+10)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	18,395	18,855	17114	1.50	50,415	51675
17014	0.75	26,580	27,245	17114	2.50	81,580	83620
17014	1.00	35,285	36,165	17214	4.00	129,200	132430

SIXTEEN CORES (8+11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	21,340	21,875	17116	1.50	56,655	58070
17016	0.75	30,405	31,165	17116	2.50	92,980	95305
17016	1.00	39,400	40,385	17216	4.00	147,780	151475

NINETEEN CORES (1+6+12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	25,130	25,760	17119	1.5	67,035	68710
17019	0.75	36,715	37,635	17119	2.5	109,635	112375
17019	1.00	46,645	47,810	17219	4	174,735	179105

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	42,315	43,375	17203124	50*	350,870	359640
17203084	10	72,090	73,890	17503134	70*	498,295	510750
17203094	16*	112,700	115,515	17503144	95*	657,665	674105
17203104	25*	174,590	178,955	17503154	120*	878,520	900485
17203114	35*	245,045	251,170				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	55,405	57,065	17204124	50*	462,160	473715
17204084	10	94,890	97,545	17504134	70*	660,465	676975
17204094	16*	147,460	151,145	17504144	95*	872,850	894670
17204104	25*	231,595	237,385	17504154	120*	1,141,285	1169815
17204114	35*	324,325	332,435				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

Finolex



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	2,305	7,030
RG 6 CU	3,200	9,760
RG 11 CU	7,480	22,814

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,805	5,505
RG 11 CCS	3,655	11,148

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	90 m coil
	List Price (Rs.)
RG 6 CCS Eco Lite	1,250

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	4,100	12505

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	4,225
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	14,318
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,645
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	15,741
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	5,235
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	17,741
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	2,400
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	4,715
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,700
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	5,335
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,730
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	5,395
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	3,080
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	6,090

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	1,145	31050103	10 pair	10,205
31050023	2 pair	2,050	31050203	20 pair	19,300
31050033	3 pair	3,000	31050503	50 pair	47,920
31050043	4 pair	3,965	31051001	100 pair	92,945
31050053	5 pair	4,945			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	765	31040103	10 pair	7,030
31040023	2 pair	1,420	31040203	20 pair	13,135
31040033	3 pair	2,065	31040503	50 pair	32,840
31040043	4 pair	2,665	31041001	100 pair	61,645
31040053	5 pair	3,290			

Standard Length of coif is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 09 Mar 2026



LAN Cable


Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	12,950
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	16,330
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	16,330
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	16,330
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	16,330
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	7,675
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	5,065
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	10,750
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	22,195
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	5,085
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	19,095
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	25,010
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	15,510
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	15,510
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	15,510
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	15,510



Speaker Cable

List Price wef. 09 Mar 2026

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,615
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	3,810
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	4,665
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	7,005
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	10,945
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	11,660
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	655
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	955
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	1,165
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,750



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE					
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010					

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.5	11210	13803101	25	170695
13713051	2.5	17700	13803111	35	237015
13703061	4	27110	13803121*	50	Prices for these sizes can be given on request.
13803071	6	40050	13803131*	70	
13803081	10	69170	13803141*	95	
13803091	16	109170			

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS					
--	--	--	--	--	--

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.5	11435	13823069	4	28465
13863059	2.5	18585			

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS					
---	--	--	--	--	--

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6	42055	13823109	25	179230
13823089	10	72630	13823119	35	248865
13823099	16	114630			

3 CORE FLAT CCA CABLES							
FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	21895	13853109	36	354/.36	86275
13853089	14	140/.36	36595	13853119	50	594/.36	119560
13853099	23	226/.36	58120				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 09 Mar 2026




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	730	1000	6
13000602	0.60	730	500	6
13000701	0.70	995	1000	6
13000702	0.70	995	500	6
13000801	0.80	1,365	1000	6
13000802	0.80	1,365	500	6
13000901	0.90	1,685	1000	5
13000902	0.90	1,685	500	6
13001001	1.00	2,045	1000	5
13001002	1.00	2,045	500	6
13001101	1.10	2,465	1000	4
13001102	1.10	2,465	500	6
13001201	1.20	2,905	1000	4
13001202	1.20	2,905	500	6
13001301	1.30	3,390	1000	3
13001302	1.30	3,390	500	6
13001402	1.40	3,940	500	5
13001502	1.50	4,515	500	5
13001602	1.60	5,130	500	4
13001702	1.70	5,755	500	4
13001802	1.80	6,480	500	4
13001902	1.90	7,155	500	3
13002002	2.00	8,005	500	3
13002102	2.10	8,775	500	3
13002202	2.20	9,610	500	2
13002302	2.30	10,480	500	2
13002402	2.40	11,410	500	2
13002502	2.50	12,395	500	2
13002602	2.60	13,385	500	2
13002702	2.70	14,435	500	2
13002804	2.80*	15,405	250	2
13003004	3.00*	17,655	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request.
Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

Finolex



Automobile / Solar Power



High thermal rating
to withstand
extreme temperatures



Excellent
resistant to
heat pressure



Long life &
highly durable
cables

Auto Battery Cables

List Price wef. 09 Mar 2026



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	9,025	36,090
22210	354/.3	25	14,110	56,450
22211	495/.3	35	19,725	78,910
22212	703/.3	50	27,980	111,900
22513	360/.5	70	40,840	163,355
22514	475/.5.*	95	53,975	215,920
22515	608/.5.*	120	69,360	277,450
22516	750/.5.*	150	85,905	343,625
22517	925/.5.*	185	106,220	424,895
22518	1221/.5.*	240	139,725	558,895

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	1065	4,250

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	310	1,225
2302	24/.21	0.75	465	1,840
2303	32/.21	1.00	615	2,445
2304	30/.26	1.50	905	3,595
2305	50/.26	2.50	1,495	5,975
2306	56/.31	4.00	2,485	9,915
2307	84/.31	6.00	3,690	14,750

Solar Cables

List Price wef. 09 Mar 2026



SOLAR DC CABLE		
FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.		
**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	5,720
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	5,720
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	8,440
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	8,440
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	12,420
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	12,420

Solar Nova		
**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	5,550
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	8,120
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	12,265
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	22,730

NOTES

- Prices
GST extra as applicable.
- Printing
Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery
F.O.R. any station in India by road transport.
- Product Code
The full product code is of 8 digits. For example :
22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
225 represents Auto Cable IS specifications for 0.5 conductor.
b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.

Visit us at: www.finolex.com | [f](#) /Finolexcables | [t](#) /Finolexcables | [i](#) /Finolex.Cables



For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | Bengaluru: 7022979589 /
Bhubaneswar: 0674-2971922 / 2971188 | Chennai: 044-28269322 /
28231514 | Chandigarh: 0172-4064047 | Cochin: 9388689870 /
Coimbatore: 0422-2330997 | Dharwad: 8382748440 | Goa: 8322782003 /
2782065 | Gurgaon: 9896763770 | Guwahati: 9864027312 / 8135029423
| Indore: 7314911723 | Jaipur: 9829111411 | Kolkata: 033-24192494 /
24192495 | Lucknow: 052-24035031 | Mumbai: 022-22820062 | New
Delhi: 011-23324748 / 23353100 | Patna: 9934107999 | Pune:
020-27506200 | Raipur: 7008336581 | Ranchi: 8101383841 |
Secunderabad: 040-27811161 | Uttarakhand: 9760045003 | Vadodara:
9879555568 | Vijayawada: 9848043967

Sample card available on request

All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.