



SYMBOL OF QUALITY

Pioneers In Solderless Terminals,
Crimping Tools & Cable Glands



House of Designers & Makers of Terminals,
Tools & Cable Glands Since 1961

NATIONAL PRICE LIST SEPT, 2023

Price List

Contents

1. About Dowell's	1
2. Dowell's Product Category	2
3. Connectors for 2C,3C,3.5C, 4C Sector Shaped Conductors.....	3-7
a) Copper Sector Lugs - Long Barrel	5
b) Copper Sector Lugs - Short Barrel	6
c) Copper & Aluminium Connectors	6
d) Aluminium Sector Lugs - Long Barrel	7
e) Aluminium Sector Lugs - Short Barrel	7
4. Copper Series.....	8-11
a) Copper Tube Terminals Medium Duty	8
b) Copper Tube Terminals Heavy Duty Long Barrel	8
c) Copper Tube Terminals Heavy Duty BS 4579	8
e) Copper Tube Terminals Extended Palm (Blank).....	8
f) Copper Reducer Terminals	9
g) Copper Tublar Terminals Long Barrel	9
h) Copper Tube Terminals Heavy Duty In-line Connectors	9
l) Copper Tube Terminals Heavy Duty In-line Connectors	9
j) Copper DIN Type Terminals	10
k) Copper Tube Terminals ICF Series.....	10
l) Copper Tube Light Duty In-line Connectors	10
5. Aluminium Series	11-12
a) Aluminium Tube Terminals	11
b) Aluminium Tube Terminals Long Barrel	11
c) Aluminium Terminals for Al. XLPE Conductors	11
d) Aluminium Tube Terminals Two Holes	11
e) Aluminium Reducer Terminals	12
f) Aluminium In-line Connectors	12
g) Aluminium In-line Connectors for Al. XLPE Conductors	12
6. Bi-Mettalic Series.....	13
a) Bi-Mettalic Connectors (Friction Welded)	13
b) Bi-Mettalic Terminals (Friction Welded)	13
c) Aluminium Alloy Tublar Bi-Mettalic Terminals	13

Price List

Contents

7. Copper Ring, Pin & Fork Terminals.....	14-16
a) Pin Terminals non-insulated	14
b) Pin Terminals Double Grip (Pre-Insulated).....	14
c) Pin Terminals Double Grip (Pre-Insulated)	14
d) End Sealing Ferrules non-insulate	14
e) Non-Insulated Ring Terminals.....	14
f) Ring Terminals Insulated	15
g) Ring Terminals Double Grip (Pre-Insulated)	15
h) Fork Terminals Non-Insulated	15
i) Fork Terminals Insulated	15
j) Fork Terminals Pre-Insulated	15
k) Snap on Terminals	15
l) End Sealing Ferrules Insulated	16
m) Copper Twin Type Lugs	16
8. Cable Glands.....	17-20
a) Double Compression Armoured Weather and Frame Proof Brass Cable Glands	17
b) DC Type Medium Duty Armoured Brass Cable Glands	18
c) Double Compression Un-Armoured Brass Cable Glands	18
d) Single Compression & SIBG Brass Cable Glands	19
e) Brass PG Gland	19
f) Nylon PG Gland	19
g) Flange Type Cable Glands	19
h) Earth Tag & LSF/LSZH Shroud	20
9. Tools & Accessories.....	21-22
a) Hand Operated Crimping Tools	21
b) Hydraulic Crimping Tools	21
c) Corrosion Inhibiting Compound.....	21
d) Jack For SYD/SYT/SYE	22
e) Crimping JIGS	22



COMPANY PROFILE



Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of Cable Terminals, Connectors, Cable Glands, Crimping system & Accessories since 1961.

At Present, Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track record of over 4 decades having their manufacturing facilities at Halol, Daman, Nashik & Roorkee in India, and this subsidiary company i.e M/s. Dowells Cable Accessories Pvt Ltd have set up their manufacturing plant at Halol in Gujarat state having admeasuring area of 1,00,000 Sq. ft with in-house manufacturing facilities where more than 2500 line items with production capacity of 5000 metric tons per annum with an aim to serve world best technology in cable and termination




OUR MISSION

We will create a great place to work by inspiring our people to continuously innovate and bring greater value to our customers and environment, thereby enhancing stakeholder value.




OUR VISION

Enhance and strengthen our leadership position in wires and cables. Continue to invest in technology to improve operational efficiencies, customer satisfaction, and sales and strengthen brand recognition.



CABLE GLANDS

DOWELL's electrical armoured and unarmoured cable glands are designed for usage in including oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining to name a few. Electrical cable glands can be used with a range of cable types, including armoured and unarmoured and are available in nickel plated brass, stainless steel, polyamide.



CONNECTORS & SHEET TERMINALS

DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium, copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded (CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals.



TOOLS & ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.



CONNECTORS FOR 2C,3C,3.5C, 4C SECTOR SHAPED CONDUCTORS

Designed primarily for solid or stranded sector shape conductors for all angular arrangement of 2C,3C,3.5C or 4C cables. Precision fit on the sector conductor, allows for perfect and reliable connection. This eliminated the process of rounding of the conductors for fitment during crimping in case of round connectors. This design also gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.




Features :

- Reduces contact Resistance > 10%
- Drastic reduction in hot spots when compared with circular connector for the same applications
- Improved conductivity
- Increase in the contact surface area



COPPER SECTOR LUGS - LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2001	CUS-3001	CUS-3501	CUS-4001	60.90	25
25	10.5	CUS-2002	CUS-3002	CUS-3502	CUS-4002	60.90	25
25	13	CUS-2003	CUS-3003	CUS-3503	CUS-4003	60.90	25
35	8.4	CUS-2004	CUS-3004	CUS-3504	CUS-4004	96.18	25
35	10.5	CUS-2005	CUS-3005	CUS-3505	CUS-4005	96.18	25
50	8.4	CUS-2006	CUS-3006	CUS-3506	CUS-4006	137.55	25
50	10.5	CUS-2007	CUS-3007	CUS-3507	CUS-4007	137.55	25
50	13	CUS-2008	CUS-3008	CUS-3508	CUS-4008	137.55	25
70	8.4	CUS-2009	CUS-3009	CUS-3509	CUS-4009	221.55	15
70	10.5	CUS-2010	CUS-3010	CUS-3510	CUS-4010	221.55	15
70	13	CUS-2011	CUS-3011	CUS-3511	CUS-4011	221.55	15
95	10.5	CUS-2012	CUS-3012	CUS-3512	CUS-4012	274.05	10
95	13	CUS-2013	CUS-3013	CUS-3513	CUS-4013	274.05	10
95	17	CUS-2014	CUS-3014	CUS-3514	CUS-4014	274.05	10
120	10.5	CUS-2015	CUS-3015	CUS-3515	CUS-4015	376.95	10
120	13	CUS-2016	CUS-3016	CUS-3516	CUS-4016	376.95	10
120	17	CUS-2017	CUS-3017	CUS-3517	CUS-4017	376.95	10
150	10.5	CUS-2018	CUS-3018	CUS-3518	CUS-4018	477.75	15
150	13	CUS-2019	CUS-3019	CUS-3519	CUS-4019	477.75	15
150	17	CUS-2020	CUS-3020	CUS-3520	CUS-4020	477.75	15
185	10.5	CUS-2021	CUS-3021	CUS-3521	CUS-4021	599.55	10
185	13	CUS-2022	CUS-3022	CUS-3522	CUS-4022	599.55	10
185	17	CUS-2023	CUS-3023	CUS-3523	CUS-4023	599.55	10
240	13	CUS-2024	CUS-3024	CUS-3524	CUS-4024	916.65	10
240	17	CUS-2025	CUS-3025	CUS-3525	CUS-4025	916.65	10
300	17	CUS-2026	CUS-3026	CUS-3526	CUS-4026	1146.60	10
300	20.3	CUS-2027	CUS-3027	CUS-3527	CUS-4027	1146.60	10
400	20.3	CUS-2028	CUS-3028	CUS-3528	CUS-4028	1621.20	8
500	21	CUS-2029	CUS-3029	CUS-3529	CUS-4029	1906.80	5
630	21	CUS-2030	CUS-3030	CUS-3530	CUS-4030	2862.30	5

COPPER SECTOR LUGS - SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2101	CUS-3101	CUS-3601	CUS-4101	42.63	25
25	10.5	CUS-2102	CUS-3102	CUS-3602	CUS-4102	42.63	25
25	13	CUS-2103	CUS-3103	CUS-3603	CUS-4103	42.63	25
35	8.4	CUS-2104	CUS-3104	CUS-3604	CUS-4104	61.95	25
35	10.5	CUS-2105	CUS-3105	CUS-3605	CUS-4105	61.95	25
50	8.4	CUS-2106	CUS-3106	CUS-3606	CUS-4106	96.18	25
50	10.5	CUS-2107	CUS-3107	CUS-3607	CUS-4107	96.18	25
50	13	CUS-2108	CUS-3108	CUS-3608	CUS-4108	96.18	25
70	8.4	CUS-2109	CUS-3109	CUS-3609	CUS-4109	153.30	15
70	10.5	CUS-2110	CUS-3110	CUS-3610	CUS-4110	153.30	15
70	13	CUS-2111	CUS-3111	CUS-3611	CUS-4111	153.30	15
95	10.5	CUS-2112	CUS-3112	CUS-3612	CUS-4112	187.95	10
95	13	CUS-2113	CUS-3113	CUS-3613	CUS-4113	187.95	10
95	17	CUS-2114	CUS-3114	CUS-3614	CUS-4114	187.95	10
120	10.5	CUS-2115	CUS-3115	CUS-3615	CUS-4115	280.35	10
120	13	CUS-2116	CUS-3116	CUS-3616	CUS-4116	280.35	10
120	17	CUS-2117	CUS-3117	CUS-3617	CUS-4117	280.35	10
150	10.5	CUS-2118	CUS-3118	CUS-3618	CUS-4118	352.80	15
150	13	CUS-2119	CUS-3119	CUS-3619	CUS-4119	352.80	15
150	17	CUS-2120	CUS-3120	CUS-3620	CUS-4120	352.80	15
185	10.5	CUS-2121	CUS-3121	CUS-3621	CUS-4121	453.60	10
185	13	CUS-2122	CUS-3122	CUS-3622	CUS-4122	453.60	10
185	17	CUS-2123	CUS-3123	CUS-3623	CUS-4123	453.60	10
240	13	CUS-2124	CUS-3124	CUS-3624	CUS-4124	715.05	10
240	17	CUS-2125	CUS-3125	CUS-3625	CUS-4125	715.05	10
300	17	CUS-2126	CUS-3126	CUS-3626	CUS-4126	914.55	10
300	20.3	CUS-2127	CUS-3127	CUS-3627	CUS-4127	914.55	10
400	20.3	CUS-2128	CUS-3128	CUS-3628	CUS-4128	1356.60	8
500	21	CUS-2129	CUS-3129	CUS-3629	CUS-4129	1573.95	5
630	21	CUS-2130	CUS-3130	CUS-3630	CUS-4130	2360.40	5

COPPER SECTOR CONNECTORS



SIZE (sq - mm)	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-CB-25	3S-CB-25	3.5S-CB-25	4S-CB-25	28.77	50
35	2S-CB-35	3S-CB-35	3.5S-CB-35	4S-CB-35	44.84	50
50	2S-CB-50	3S-CB-50	3.5S-CB-50	4S-CB-50	73.61	50
70	2S-CB-70	3S-CB-70	3.5S-CB-70	4S-CB-70	126.00	50
95	2S-CB-95	3S-CB-95	3.5S-CB-95	4S-CB-95	184.80	25
120	2S-CB-120	3S-CB-120	3.5S-CB-120	4S-CB-120	253.05	20
150	2S-CB-150	3S-CB-150	3.5S-CB-150	4S-CB-150	340.20	25
185	2S-CB-185	3S-CB-185	3.5S-CB-185	4S-CB-185	450.45	25
240	2S-CB-240	3S-CB-240	3.5S-CB-240	4S-CB-240	698.25	20
300	2S-CB-300	3S-CB-300	3.5S-CB-300	4S-CB-300	970.20	10
400	2S-CB-400	3S-CB-400	3.5S-CB-400	4S-CB-400	1488.90	8
500	2S-CB-500	3S-CB-500	3.5S-CB-500	4S-CB-500	1706.25	5
630	2S-CB-630	3S-CB-630	3.5S-CB-630	4S-CB-630	2337.30	5

ALUMINIUM SECTOR CONNECTORS



SIZE (sq - mm)	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-ALS-1	3S-ALS-1	3.5S-ALS-1	4S-ALS-1	5.15	100
35	2S-ALS-2	3S-ALS-2	3.5S-ALS-2	4S-ALS-2	7.67	100
50	2S-ALS-3	3S-ALS-3	3.5S-ALS-3	4S-ALS-3	12.50	100
70	2S-ALS-4	3S-ALS-4	3.5S-ALS-4	4S-ALS-4	22.05	100
95	2S-ALS-5	3S-ALS-5	3.5S-ALS-5	4S-ALS-5	32.03	50
120	2S-ALS-6	3S-ALS-6	3.5S-ALS-6	4S-ALS-6	44.52	35
150	2S-ALS-7	3S-ALS-7	3.5S-ALS-7	4S-ALS-7	60.59	50
185	2S-ALS-8	3S-ALS-8	3.5S-ALS-8	4S-ALS-8	78.54	40
240	2S-ALS-9	3S-ALS-9	3.5S-ALS-9	4S-ALS-9	124.95	20
300	2S-ALS-10	3S-ALS-10	3.5S-ALS-10	4S-ALS-10	170.10	15
400	2S-ALS-11	3S-ALS-11	3.5S-ALS-11	4S-ALS-11	262.50	10
500	2S-ALS-19	3S-ALS-19	3.5S-ALS-19	4S-ALS-19	256.20	5
630	2S-ALS-20	3S-ALS-20	3.5S-ALS-20	4S-ALS-20	339.15	5

ALUMINIUM SECTOR LUGS - LONG BARREL



SIZE (sq - mm)	E-BOLT HOLE	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-518	3S-ALS-518	3.5S-ALS-518	4S-ALS-518	8.93	50
25	10.5	2S-ALS-519	3S-ALS-519	3.5S-ALS-519	4S-ALS-519	8.93	50
25	13	2S-ALS-520	3S-ALS-520	3.5S-ALS-520	4S-ALS-520	8.93	50
35	8.4	2S-ALS-521	3S-ALS-521	3.5S-ALS-521	4S-ALS-521	14.07	50
35	10.5	2S-ALS-522	3S-ALS-522	3.5S-ALS-522	4S-ALS-522	14.07	50
50	8.4	2S-ALS-655	3S-ALS-655	3.5S-ALS-655	4S-ALS-655	20.58	50
50	10.5	2S-ALS-512	3S-ALS-512	3.5S-ALS-512	4S-ALS-512	20.58	50
50	13	2S-ALS-524	3S-ALS-524	3.5S-ALS-524	4S-ALS-524	20.58	50
70	8.4	2S-ALS-556	3S-ALS-556	3.5S-ALS-556	4S-ALS-556	30.56	30
70	10.5	2S-ALS-525	3S-ALS-525	3.5S-ALS-525	4S-ALS-525	30.56	30
70	13	2S-ALS-526	3S-ALS-526	3.5S-ALS-526	4S-ALS-526	30.56	30
95	10.5	2S-ALS-527	3S-ALS-527	3.5S-ALS-527	4S-ALS-527	36.54	20
95	13	2S-ALS-528	3S-ALS-528	3.5S-ALS-528	4S-ALS-528	36.54	20
95	17	2S-ALS-529	3S-ALS-529	3.5S-ALS-529	4S-ALS-529	36.54	20
120	10.5	2S-ALS-557	3S-ALS-557	3.5S-ALS-557	4S-ALS-557	51.03	20
120	13	2S-ALS-530	3S-ALS-530	3.5S-ALS-530	4S-ALS-530	51.03	20
120	17	2S-ALS-531	3S-ALS-531	3.5S-ALS-531	4S-ALS-531	51.03	20
150	10.5	2S-ALS-658	3S-ALS-658	3.5S-ALS-658	4S-ALS-658	65.00	25
150	13	2S-ALS-532	3S-ALS-532	3.5S-ALS-532	4S-ALS-532	65.00	25
150	17	2S-ALS-533	3S-ALS-533	3.5S-ALS-533	4S-ALS-533	65.00	25
185	10.5	2S-ALS-511	3S-ALS-511	3.5S-ALS-511	4S-ALS-511	82.01	20
185	13	2S-ALS-534	3S-ALS-534	3.5S-ALS-534	4S-ALS-534	82.01	20
185	17	2S-ALS-535	3S-ALS-535	3.5S-ALS-535	4S-ALS-535	82.01	20
240	13	2S-ALS-536	3S-ALS-536	3.5S-ALS-536	4S-ALS-536	126.00	15
240	17	2S-ALS-537	3S-ALS-537	3.5S-ALS-537	4S-ALS-537	126.00	15
300	17	2S-ALS-500	3S-ALS-500	3.5S-ALS-500	4S-ALS-500	156.45	10
300	20.3	2S-ALS-559	3S-ALS-559	3.5S-ALS-559	4S-ALS-559	156.45	10
400	20.3	2S-ALS-560	3S-ALS-560	3.5S-ALS-560	4S-ALS-560	220.50	8
500	20.3	2S-ALS-596	3S-ALS-596	3.5S-ALS-596	4S-ALS-596	345.45	5
630	20.3	2S-ALS-561	3S-ALS-561	3.5S-ALS-561	4S-ALS-561	452.55	5

ALUMINIUM SECTOR LUGS - SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-218	3S-ALS-218	3.5S-ALS-218	4S-ALS-218	6.51	50
25	10.5	2S-ALS-219	3S-ALS-219	3.5S-ALS-219	4S-ALS-219	6.51	50
25	13	2S-ALS-220	3S-ALS-220	3.5S-ALS-220	4S-ALS-220	6.51	50
35	8.4	2S-ALS-221	3S-ALS-221	3.5S-ALS-221	4S-ALS-221	8.93	50
35	10.5	2S-ALS-222	3S-ALS-222	3.5S-ALS-222	4S-ALS-222	8.93	50
50	8.4	2S-ALS-255	3S-ALS-255	3.5S-ALS-255	4S-ALS-255	14.07	50
50	10.5	2S-ALS-312	3S-ALS-312	3.5S-ALS-312	4S-ALS-312	14.07	50
50	13	2S-ALS-224	3S-ALS-224	3.5S-ALS-224	4S-ALS-224	14.07	50
70	8.4	2S-ALS-256	3S-ALS-256	3.5S-ALS-256	4S-ALS-256	22.05	30
70	10.5	2S-ALS-225	3S-ALS-225	3.5S-ALS-225	4S-ALS-225	22.05	30
70	13	2S-ALS-226	3S-ALS-226	3.5S-ALS-226	4S-ALS-226	22.05	30
95	10.5	2S-ALS-227	3S-ALS-227	3.5S-ALS-227	4S-ALS-227	27.51	20
95	13	2S-ALS-228	3S-ALS-228	3.5S-ALS-228	4S-ALS-228	27.51	20
95	17	2S-ALS-229	3S-ALS-229	3.5S-ALS-229	4S-ALS-229	27.51	20
120	10.5	2S-ALS-257	3S-ALS-257	3.5S-ALS-257	4S-ALS-257	40.01	20
120	13	2S-ALS-230	3S-ALS-230	3.5S-ALS-230	4S-ALS-230	40.01	20
120	17	2S-ALS-231	3S-ALS-231	3.5S-ALS-231	4S-ALS-231	40.01	20
150	10.5	2S-ALS-258	3S-ALS-258	3.5S-ALS-258	4S-ALS-258	49.98	25
150	13	2S-ALS-232	3S-ALS-232	3.5S-ALS-232	4S-ALS-232	49.98	25
150	17	2S-ALS-233	3S-ALS-233	3.5S-ALS-233	4S-ALS-233	49.98	25
185	10.5	2S-ALS-311	3S-ALS-311	3.5S-ALS-311	4S-ALS-311	63.53	20
185	13	2S-ALS-234	3S-ALS-234	3.5S-ALS-234	4S-ALS-234	63.53	20
185	17	2S-ALS-235	3S-ALS-235	3.5S-ALS-235	4S-ALS-235	63.53	20
240	13	2S-ALS-236	3S-ALS-236	3.5S-ALS-236	4S-ALS-236	99.96	15
240	17	2S-ALS-237	3S-ALS-237	3.5S-ALS-237	4S-ALS-237	99.96	15
300	17	2S-ALS-300	3S-ALS-300	3.5S-ALS-300	4S-ALS-300	127.05	10
300	20.3	2S-ALS-259	3S-ALS-259	3.5S-ALS-259	4S-ALS-259	127.05	10
400	20.3	2S-ALS-260	3S-ALS-260	3.5S-ALS-260	4S-ALS-260	191.10	8
500	20.3	2S-ALS-296	3S-ALS-296	3.5S-ALS-296	4S-ALS-296	285.60	5
630	20.3	2S-ALS-261	3S-ALS-261	3.5S-ALS-261	4S-ALS-261	381.15	5

COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



COPPER TUBE TERMINAL MEDIUM DUTY		
mm ² -E	CAT. NO.	PRICE (₹)
2.5-5	CUS-05	6.62
4-6	CUS-06	9.45
6-6	CUS-07	10.29
10-6	CUS-08	13.23
16-6	CUS-09	17.22
25-6	CUS-10	28.77
35-6	CUS-11	31.08
35-8	CUS-12	31.08
50-6	CUS-13	41.48
50-8	CUS-14	41.48
50-10	CUS-15	41.48
70-8	CUS-16	72.45
70-10	CUS-17	72.45
70-12	CUS-18	72.45
95-10	CUS-19	102.90
95-12	CUS-20	98.70
120-10	CUS-21	132.30
120-12	CUS-22	132.30
120-16	CUS-23	132.30
150-10	CUS-24	194.25
150-12	CUS-25	192.15
150-16	CUS-26	187.95
185-12	CUS-27	289.80
185-16	CUS-28	283.50
225-16	CUS-231	343.35
240-16	CUS-29	388.50
240-20	CUS-30	388.50
300-16	CUS-31	577.50
300-20	CUS-32	571.20
400-20	CUS-33	786.45
500-20	CUS-34	1051.05
630-20	CUS-35	1473.15
800	CUS-062	2425.50
1000	CUS-076	5352.90

COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL		
mm ² -E	CAT. NO.	PRICE (₹)
25-8	CUS-282	33.18
35-8	CUS-283	53.13
50-8	CUS-284	88.52
70-10	CUS-285	136.50
95-12	CUS-286	214.20
120-12	CUS-287	305.55
150-12	CUS-288	375.90
185-12	CUS-289	544.95
240-16	CUS-290	764.40
300-16	CUS-291	1008.00
400-20	CUS-292	1537.20
500-21	CUS-293	2728.95
630-21	CUS-294	3636.15



COPPER TUBE TERMINAL EXTENDED PALM (BLANK)		
mm ² -E	CAT. NO.	PRICE (₹)
50	CUS-466	113.40
70	CUS-467	187.95
95	CUS-468	268.80
120	CUS-469	323.40
150	CUS-470	424.20
185	CUS-471	628.95
240	CUS-472	928.20
300	CUS-473	1342.95
400	CUS-474	2324.70
500	CUS-475	2788.80
630	CUS-476	4295.55

COPPER TUBE TERMINAL HEAVY DUTY BS-4579		
mm ² -E	CAT. NO.	PRICE (₹)
1.5-5	CUS-538	8.30
1.5-6	CUS-539	8.61
2.5-4	CUS-388	8.61
2.5-5	CUS-540	9.03
2.5-6	CUS-541	9.03
4-5	CUS-389	11.03
4-6	CUS-543	11.03
6-5	CUS-390	13.23
6-6	CUS-544	13.23
6-8	CUS-545	13.23
10-6	CUS-353	13.86
10-8	CUS-547	14.91
16-8	CUS-549	19.95
16-6	CUS-354	18.80
20-8	CUS-550	21.11
25-6	CUS-355	30.45
25-8	CUS-551	30.45
25-10	CUS-552	30.45
35-8	CUS-356	39.80
35-6	CUS-542	39.80
35-10	CUS-554	41.48
50-8	CUS-357	65.31
50-10	CUS-556	65.31
70-10	CUS-358	108.15
70-8	CUS-557	108.15
70-13	CUS-559	108.15
95-10	CUS-359	151.20
95-13	CUS-561	151.20
120-17	CUS-546	205.80
120-13	CUS-241	205.80
150-13	CUS-242	268.80
150-17	CUS-564	248.85
185-17	CUS-243	352.80
240-17	CUS-244	521.85
240-21	CUS-567	521.85
300-17	CUS-245	759.15
300-21	CUS-569	759.15
400-17	CUS-246	1194.90
400-21	CUS-571	1220.10
500-21	CUS-247	1629.60
550-21	CUS-573	1996.05
630-21	CUS-248	2444.40
800	CUS-599	4248.30
1000	CUS-590	6043.80



COPPER REDUCER TERMINAL		
mm ²	CAT. NO.	PRICE (₹)
2.5	WPC-01	21.11
2.5	WPC-07	19.95
4	WPC-15	21.11
4	WPC-16	19.95
6	WPC-17	21.53
6	WPC-18	19.95
10	WPC-19	25.52
10	WPC-20	22.79
10	WPC-21	30.45
10	WPC-22	27.72
16	WPC-23	51.45
16	WPC-24	51.45
16	WPC-02	37.07
25	WPC-25	59.75
25	WPC-03	79.07
35	WPC-04	78.02
50	WPC-26	87.36
50	WPC-05	205.80
70	WPC-27	135.45
70	WPC-6	205.80
70	WPC-28	202.65
95	WPC-29	195.30
95	WPC-08	274.05
95	WPC-31	181.65
95	WPC-32	287.70
120	WPC-33	237.30
120	WPC-34	236.25
120	WPC-35	274.05
120	WPC-36	368.55
150	WPC-10	430.50
150	WPC-37	334.95
185	WPC-30	547.05
185	WPC-38	439.95
225	WPC-39	719.25
225	WPC-46	989.10
225	WPC-42	913.50
240	WPC-44	941.85
240	WPC-43	688.80
300	WPC-45	872.55
300	WPC-47	931.35
400	WPC-101	1970.85

COPPER TUBULAR TERMINALS LONG BARREL		
mm ²	CAT. NO.	PRICE (₹)
2.5-5	CEB-05	9.87
4-6	CEB-06	13.86
6-6	CEB-07	14.91
10-6	CEB-08	18.80
16-6	CEB-09	24.36
25-6	CEB-10	31.08
35-6	CEB-11	37.07
35-8	CEB-12	43.68
50-6	CEB-13	56.39
50-8	CEB-14	56.39
50-10	CEB-15	56.39
70-8	CEB-16	92.93
70-10	CEB-17	92.93
70-12	CEB-18	92.93
95-10	CEB-19	120.75
95-12	CEB-20	120.75
120-10	CEB-21	164.85
120-12	CEB-22	164.85
120-16	CEB-23	164.85
150-10	CEB-24	237.30
150-12	CEB-25	234.15
150-16	CEB-26	229.95
185-12	CEB-27	346.50
185-16	CEB-28	346.50
225-16	CEB-231	450.45
240-16	CEB-29	477.75
240-20	CEB-30	477.75
300-16	CEB-31	660.45
300-20	CEB-32	660.45
400-20	CEB-33	957.60
500-20	CEB-34	1290.45
630-20	CEB-35	1797.60
800	CEB-62	2878.05
1000	CEB-76	6506.85

COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS		
mm ²	CAT. NO.	PRICE (₹)
1.5	EH-453	3.68
1.5	CB-41	5.67
2.5	EH-454	4.41
4	CB-3	6.30
4.6	EH-455	7.35
6	CB-4	8.30
10	EH-460	11.66
16	CB-6	13.23
20	CB-47	14.91
25	CB-24	31.08
35	CB-25	42.63
50	CB-26	64.68
70	CB-27	123.90
70	CB-51	109.20
95	CB-28	174.30
95	CB-52	141.75
120	CB-29	233.10
120	CB-53	166.95
150	CB-30	286.65
150	CB-54	237.30
185	CB-55	325.50
185	CB-31	374.85
240	CB-32	575.40
240	CB-56	498.75
300	CB-33	816.90
300	CB-57	708.75
400	CB-34	1447.95
400	CB-58	1044.75
500	CB-35	1859.55
500	CB-59	1527.75
550	CB-60	1692.60
630	CB-36	2649.15
630	CB-61	2261.70
800	CB-42	3805.20
1000	CB-43	5663.70



COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS		
mm ²	CAT. NO.	PRICE (₹)
1.5	EH-463	4.52
2.5	EH-464	5.57
4-6	EH-465	8.40



COPPER DIN TYPE TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
6-5	DIN-6-5	21.11	95-16	DIN-95-16	552.30
6-6	DIN-6-6	21.11	120-10	DIN-120-10	693.00
6-8	DIN-6-8	21.11	120-12	DIN-120-12	693.00
10-5	DIN-10-5	21.53	120-14	DIN-120-14	693.00
10-6	DIN-10-6	21.53	120-16	DIN-120-16	693.00
10-8	DIN-10-8	21.53	120-20	DIN-120-20	693.00
16-6	DIN-16-6	78.02	150-10	DIN-150-10	989.10
16-8	DIN-16-8	78.02	150-12	DIN-150-12	989.10
16-10	DIN-16-10	78.02	150-14	DIN-150-14	989.10
16-12	DIN-16-12	78.02	150-16	DIN-150-16	989.10
25-6	DIN-25-6	98.70	150-20	DIN-150-20	989.10
25-8	DIN-25-8	98.70	185-10	DIN-185-10	1131.90
25-10	DIN-25-10	98.70	185-12	DIN-185-12	1131.90
25-12	DIN-25-12	98.70	185-14	DIN-185-14	1131.90
35-6	DIN-35-6	192.15	185-16	DIN-185-16	1131.90
35-8	DIN-35-8	192.15	185-20	DIN-185-20	1131.90
35-10	DIN-35-10	192.15	240-12	DIN-240-12	1623.30
35-12	DIN-35-12	192.15	240-14	DIN-240-14	1623.30
35-14	DIN-35-14	192.15	240-16	DIN-240-16	1623.30
50-8	DIN-50-8	285.60	240-20	DIN-240-20	1623.30
50-10	DIN-50-10	285.60	300-14	DIN-300-14	1962.45
50-12	DIN-50-12	285.60	300-16	DIN-300-16	1962.45
50-14	DIN-50-14	285.60	300-20	DIN-300-20	1962.45
50-16	DIN-50-16	285.60	400-14	DIN-400-14	3856.65
70-8	DIN-70-8	376.95	400-16	DIN-400-16	3856.65
70-10	DIN-70-10	376.95	400-20	DIN-400-20	3856.65
70-12	DIN-70-12	376.95	500-16	DIN-500-16	4570.65
70-14	DIN-70-14	376.95	500-20	DIN-500-20	4570.65
70-16	DIN-70-16	376.95	625-16	DIN-625-16	4525.50
95-8	DIN-95-8	552.30	625-20	DIN-625-20	4525.50
95-10	DIN-95-10	552.30	800-16	DIN-800-16	8165.85
95-12	DIN-95-12	552.30	800-20	DIN-800-20	8165.85
95-14	DIN-95-14	552.30	1000-21	DIN-1000-21	10296.30

COPPER TUBE TERMINAL ICF SERIES

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
17-5	CUS-106	38.75	90-8	CUS-161	285.60
17-6	CUS-145	38.75	90-10	CUS-162	285.60
17-8	CUS-146	38.75	90-13	CUS-163	285.60
17-10	CUS-109	39.80	110-6	CUS-115	348.60
23-5	CUS-107	64.16	110-8	CUS-164	348.60
23-6	CUS-147	64.16	110-10	CUS-165	348.60
23-8	CUS-148	64.16	110-13	CUS-166	348.60
23-10	CUS-108	67.52	146-8	CUS-138	510.30
29-5	CUS-110	95.13	146-10	CUS-167	510.30
29-6	CUS-149	87.36	146-13	CUS-168	510.30
29-8	CUS-150	87.36	146-17	CUS-169	510.30
29-10	CUS-151	89.57	183-10	CUS-128	666.75
29-13	CUS-111	87.36	183-13	CUS-170	701.40
45-5	CUS-116	123.90	183-17	CUS-171	701.40
45-6	CUS-152	123.90	225-10	CUS-139	806.40
45-8	CUS-153	123.90	225-13	CUS-172	806.40
45-10	CUS-154	123.90	225-17	CUS-173	806.40
45-10	CUS-113	123.90	225-21	CUS-174	806.40
57-6	CUS-112	202.65	299-13	CUS-140	1140.30
57-8	CUS-155	202.65	299-17	CUS-175	1153.95
57-10	CUS-156	202.65	299-21	CUS-176	1140.30
57-13	CUS-157	202.65	366-13	CUS-141	1605.45
75-6	CUS-114	258.30	366-17	CUS-177	1605.45
75-8	CUS-158	258.30	366-21	CUS-178	1605.45
75-10	CUS-159	258.30	437-13	CUS-142	2201.85
75-13	CUS-160	258.30	437-17	CUS-179	2202.90
90-6	CUS-137	285.60	437-21	CUS-180	2202.90



COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS

mm ² -E	CAT. NO.	PRICE (₹)	mm ²	CAT. NO.	PRICE (₹)
2.5	CB-23	6.20	225	CB-20	388.50
25	CB-7	31.08	240	CB-15	406.35
35	CB-8	41.48	300	CB-16	614.25
50	CB-9	61.95	400	CB-17	930.30
70	CB-10	89.57	500	CB-18	1206.45
95	CB-11	127.05	630	CB-19	1662.15
120	CB-12	175.35	800	CB-21	2600.85
150	CB-13	223.65	1000	CB-22	3872.40
185	CB-14	280.35			

ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV. All the products are manufactured to precision with attention to detail offering competitive solutions.



ALUMINIUM TUBE TERMINAL		
mm ² -E	CAT. NO.	PRICE (₹)
2.5-3	ALS-151	2.84
2.5-3.5	ALS-309	2.84
4-4	ALS-155	2.94
4-5	ALS-317	2.94
6-5	ALS-158	3.36
6-6	ALS-313	3.36
10-4	ALS-159	4.10
10-6	ALS-214	4.10
10-8	ALS-215	4.10
16-6	ALS-252	5.67
16-8	ALS-216	5.67
16-10	ALS-217	5.67
25-6	ALS-253	7.77
25-8	ALS-218	7.77
25-10	ALS-219	7.77
25-12	ALS-220	7.77
35-6	ALS-254	9.35
35-8	ALS-221	9.35
35-10	ALS-222	9.35
50-8	ALS-255	14.07
50-10	ALS-312	14.07
50-12	ALS-224	14.07
70-8	ALS-256	22.05
70-10	ALS-225	22.05
70-12	ALS-226	22.05
95-10	ALS-227	23.63
95-12	ALS-228	23.10
95-16	ALS-229	23.10
120-10	ALS-257	32.76
120-12	ALS-230	32.03
120-16	ALS-231	32.03
150-10	ALS-258	43.58
150-12	ALS-232	42.53
150-16	ALS-233	42.53
185-10	ALS-311	55.02
185-12	ALS-234	53.76
185-16	ALS-235	54.39
225-12	ALS-320	77.49
240-12	ALS-236	89.04
240-16	ALS-237	89.04
300-16	ALS-300	126.00
300-20	ALS-259	126.00
400-20	ALS-260	182.70
500-20	ALS-296	286.65
630-20	ALS-261	372.75
800	ALS-318	590.10
1000	ALS-319	859.95

ALUMINIUM TUBE TERMINALS LONG BARREL		
mm ² -E	CAT. NO.	PRICE (₹)
2.5-3	ALS-551	4.10
2.5-3.5	ALS-509	4.10
4-4	ALS-555	4.10
4-5	ALS-517	4.10
6-5	ALS-558	4.41
6-6	ALS-513	4.41
10-6	ALS-514	5.36
10-8	ALS-515	5.36
16-6	ALS-552	6.72
16-8	ALS-516	6.72
16-10	ALS-617	6.72
25-8	ALS-518	7.77
25-10	ALS-519	7.77
25-12	ALS-520	7.77
35-8	ALS-521	11.03
35-10	ALS-522	11.03
50-8	ALS-655	17.01
50-10	ALS-512	17.01
50-12	ALS-524	17.01
70-8	ALS-556	27.51
70-10	ALS-525	27.51
70-12	ALS-526	27.51
95-10	ALS-527	28.56
95-12	ALS-528	28.56
95-16	ALS-529	28.56
120-10	ALS-557	42.53
120-12	ALS-530	42.53
120-16	ALS-531	42.53
150-10	ALS-658	52.19
150-12	ALS-532	51.03
150-16	ALS-533	51.03
185-10	ALS-511	66.57
185-12	ALS-534	68.04
185-16	ALS-535	67.31
225-12	ALS-620	95.34
240-12	ALS-536	108.15
240-16	ALS-537	108.15
300-16	ALS-500	158.55
300-20	ALS-559	158.55
400-20	ALS-560	227.85
500-20	ALS-596	365.40
630-20	ALS-561	473.55
800	ALS-618	708.75
1000	ALS-619	1062.60

ALUMINIUM TERMINALS FOR AL XLPE CONDUCTORS		
mm ² -E	CAT. NO.	PRICE (₹)
25-8	ALS-XL17	11.03
35-8	ALS-XL18	15.02
50-10	ALS-XL19	24.05
70-10	ALS-XL20	32.03
95-12	ALS-XL21	49.98
120-12	ALS-XL22	63.53
150-12	ALS-XL23	91.98
185-12	ALS-XL24	121.80
225-12	ALS-XL25	151.20
240-12	ALS-XL26	168.00
300-20	ALS-XL27	219.45
400-20	ALS-XL28	349.65
500-20	ALS-XL29	486.15
630-20	ALS-XL30	695.10
800-20	ALS-XL31	938.70
1000-20	ALS-XL32	1999.20



ALUMINIUM TUBE TERMINALS TWO HOLES		
mm ² -E	CAT. NO.	PRICE (₹)
150	ALS-701	101.75
240	ALS-702	182.70
300	ALS-703	280.35
630	ALS-706	740.25
300	ALS-704	280.35
300	ALS-705	307.65



ALUMINIUM REDUCER TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)
2.5	AWP-01	9.35
2.5	AWP-07	9.35
4	AWP-15	9.35
4	AWP-16	8.61
6	AWP-17	9.87
6	AWP-18	8.61
10	AWP-19	10.71
10	AWP-20	10.71
10	AWP-21	10.71
10	AWP-22	10.71
16	AWP-23	22.05
16	AWP-24	22.05
16	AWP-02	15.02
25	AWP-25	24.05
25	AWP-03	30.56
35	AWP-04	32.03
50	AWP-26	36.54
50	AWP-05	61.53
70	AWP-27	55.97
70	AWP-06	71.51
70	AWP-28	85.05
95	AWP-29	80.96
95	AWP-08	113.40
95	AWP-31	74.03
95	AWP-32	119.70
120	AWP-33	97.34
120	AWP-34	97.34
120	AWP-35	113.40
120	AWP-36	153.30
150	AWP-10	178.50
150	AWP-37	139.65
185	AWP-30	226.80
185	AWP-38	182.70
225	AWP-39	298.20
225	AWP-46	428.40
225	AWP-42	379.05
240	AWP-44	390.60
240	AWP-43	285.60
300	AWP-45	360.15
300	AWP-47	386.40

ALUMINIUM IN LINE CONNECTORS

mm ² -E	CAT. NO.	PRICE (₹)
2.5	ALS-145	2.31
2.5	ALS-6	2.31
4	ALS-5	2.42
6	ALS-13	2.42
10	ALS-14	2.94
10	ALS-146	2.84
16	ALS-4	3.68
25	ALS-3	6.09
35	ALS-2	6.09
50	ALS-12	11.03
70	ALS-1	18.17
95	ALS-15	21.53
120	ALS-9	30.56
150	ALS-10	36.44
185	ALS-11	46.62
225	ALS-147	72.24
240	ALS-16	73.08
300	ALS-17	108.15
400	ALS-18	163.80
500	ALS-19	262.50
630	ALS-20	337.05
800	ALS-148	467.25
1000	ALS-149	780.15



ALUMINIUM IN LINE CONNECTORS FOR AL. XLPE CONDUTORS

mm ² -E	CAT. NO.	PRICE (₹)
25	ALS-XL01	9.35
35	ALS-XL02	14.60
50	ALS-XL03	23.10
70	ALS-XL04	32.03
95	ALS-XL05	44.52
120	ALS-XL06	56.60
150	ALS-XL07	75.60
185	ALS-XL08	113.40
225	ALS-XL09	137.55
240	ALS-XL10	159.60
300	ALS-XL11	206.85
400	ALS-XL12	317.10
500	ALS-XL13	414.75
630	ALS-XL14	571.20
800	ALS-XL15	782.25
1000	ALS-XL16	1077.30

BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.



BI-METALLIC CONNECTORS (FRICTION WELDED)			
Sr. No	Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)
1	CACF-16-16	16-16	311.85
2	CACF-25-16	25-16	311.85
3	CACF-25-25	25-25	311.85
4	CACF-35-16	35-16	311.85
5	CACF-35-25	35-25	305.55
6	CACF-35-35	35-35	301.35
7	CACF-50-25	50-25	383.25
8	CACF-50-35	50-35	383.25
9	CACF-50-50	50-50	371.70
10	CACF-70-35	70-35	379.05
11	CACF-70-50	70-50	370.65
12	CACF-70-70	70-70	355.95
13	CACF-95-50	95-50	473.55
14	CACF-95-70	95-75	459.90
15	CACF-95-95	95-95	457.80
16	CACF-120-70	120-70	598.50
17	CACF-120-95	120-95	588.00
18	CACF-120-120	120-120	573.30
19	CACF-150-95	150-95	583.80
20	CACF-150-120	150-120	571.20
21	CACF-150-150	150-150	549.15
22	CACF-185-120	185-120	814.80
23	CACF-185-150	185-150	794.85
24	CACF-185-185	185-185	992.25
25	CACF-240-150	240-150	884.10
26	CACF-240-185	240-185	984.90
27	CACF-240-240	240-240	948.15

BI-METALLIC TERMINALS (FRICTION WELDED)			
Sr. No	Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)
1	CAF-25-10	25	249.90
2	CAF-35-10	35	274.05
3	CAF-50-13	50	312.90
4	CAF-70-13	70	366.45
5	CAF-95-13	95	372.75
6	CAF-120-13	120	427.35
7	CAF-150-13	150	472.50
8	CAF-185-13	185	791.70
9	CAF-240-13	240	810.60
10	CAF-300-17	300	1031.10
11	CAF-400-17	400	1042.65
12	CAF-500	500	2713.20
13	CAF-630	630	3159.45



ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
10-6	BL-01	5.15	120-12	BL-16	44.52
10-8	BL-02	5.67	150-12	BL-17	61.53
16-6	BL-03	7.25	150-16	BL-18	61.53
16-8	BL-04	7.25	185-12	BL-19	76.97
25-8	BL-05	9.35	185-16	BL-20	76.97
25-10	BL-06	9.35	225-12	BL-21	108.05
35-8	BL-07	11.03	240-12	BL-22	131.25
35-10	BL-08	11.03	240-16	BL-23	131.25
50-8	BL-09	19.53	300-16	BL-24	208.95
50-10	BL-10	19.53	300-20	BL-25	208.95
70-10	BL-11	30.03	400-20	BL-26	262.50
70-12	BL-12	30.03	500-20	BL-27	378.00
95-10	BL-13	30.56	630-20	BL-28	492.45
95-12	BL-14	30.56	800-20	BL-29	739.20
120-10	BL-15	44.52	1000-20	BL-30	1209.60

COPPER RING, PIN AND FORK TERMINALS



PIN TERMINAL NON-INSULATED					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
0.75	CP-59	2.94	4	CP-3	5.57
1	CP-44	2.94	6	CP-5	5.57
1.5	CP-9	2.94	10	CP-7	8.72
1.5	CP-35	3.26	16	CP-8	17.22
2.5	CP-1	2.94	50	CP-88	64.68
2.5	CP-2	2.94	70	CP-89	87.57
25	CP-86	32.13	95	CP-90	114.45
35	CP-87	42.63			



PIN TERMINAL (INSULATED)					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
0.75	CPI-60	3.26	4	CPI-20	6.62
1	CPI-45	3.26	4	CPI-21	8.72
1.5	CPI-17	3.26	6	CPI-22	9.56
1.5	CPI-40	3.68	6	CPI-23	10.08
2.5	CPI-18	3.36	10	CPI-24	11.66
2.5	CPI-19	3.36	16	CPI-25	21.53



PIN TERMINAL DOUBLE GRIP (PRE-INSULATED)					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1.5	CPD-26	4.41	2.5	CPD-28	4.62
2.5	CPD-27	4.62	4	CPD-29	7.98

END SEALING FERRULES NON-INSULATED					
mm ² -L	CAT. NO.	PRICE (₹)	mm ² -L	CAT. NO.	PRICE (₹)
0.5-6	EH-508	0.95	6-10	EH-518	1.68
0.75-6	EH-509	0.95	6-12	EH-519	1.89
1-6	EH-510	0.95	6-15	EH-520	2.63
1-10	EH-511	0.95	10-12	EH-521	3.05
1.5-7	EH-512	0.95	10-15	EH-522	3.15
1.5-10	EH-513	1.05	10-18	EH-523	3.68
2.5-7	EH-514	1.05	16-12	EH-524	3.15
2.5-12	EH-515	1.16	16-15	EH-525	3.68
4-9	EH-516	1.16	16-18	EH-526	4.31
4-12	EH-517	1.37	-	-	-



NON INSULATED RING TERMINALS					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
0.75-4	RS-7317	2.73	10-5	RS-7026	7.46
1-3.5	RS-7318	2.73	10-6	RS-7120	8.09
1.5-3	RS-7001	2.94	10-8	RS-7121	10.29
1.5-3.5	RS-7002	2.94	10-10	RS-7027	13.86
1.5-3.5	RS-7048	2.94	10-10	RS-7123	14.91
1.5-4	RS-7003	2.94	10-12	RS-7028	14.18
1.5-4	RS-7049	2.94	16-5	RS-7124	12.81
1.5-4	RS-7004	3.05	16-6	RS-7029	13.86
1.5-4	RS-7154	3.15	16-6	RS-7031	18.80
1.5-5	RS-7005	3.05	16-8	RS-7030	17.22
1.5-5	RS-7006	3.68	16-10	RS-7032	21.11
1.5-6	RS-7007	3.68	16-10	RS-7128	21.53
1.5-6	RS-7106	3.78	16-12	RS-7033	19.95
2.5-3	RS-7107	3.36	25-6	RS-7156	30.45
2.5-3.5	RS-7008	3.68	25-8	RS-7034	31.71
2.5-3.5	RS-7108	3.68	25-8	RS-7036	35.28
2.5-4	RS-7009	3.15	25-10	RS-7035	30.45
2.5-5	RS-7010	3.15	25-10	RS-7132	44.84
2.5-5	RS-7109	3.15	25-12	RS-7037	44.84
2.5-5	RS-7110	4.41	35-6	RS-7133	37.07
2.5-6	RS-7011	3.15	35-8	RS-7038	39.80
2.5-6	RS-7012	4.41	35-10	RS-7135	50.40
2.5-8	RS-7013	5.15	35-12	RS-7040	46.94
2.5-8	RS-7014	6.20	50-8	RS-7136	56.39
2.5-10	RS-7015	7.25	50-10	RS-7137	60.90
2.5-10	RS-7151	7.25	50-12	RS-7042	66.05
4.6-4	RS-7155	5.67	50-16	RS-7139	82.32
4.6-5	RS-7050	5.67	70-10	RS-7140	83.27
4.6-5	RS-7016	6.72	70-12	RS-7141	85.37
4.6-6	RS-7017	5.78	70-16	RS-7142	99.12
4.6-6	RS-7019	7.67	95-10	RS-7144	120.75
4.6-6	RS-7115	8.40	95-12	RS-7044	115.50
4.6-8	RS-7018	6.72	95-16	RS-7145	131.25
4.6-8	RS-7020	8.93	120-12	RS-7146	150.15
4.6-8	RS-7116	11.03	120-16	RS-7147	185.85
4.6-10	RS-7022	11.03	120-20	RS-7148	214.20
4.6-10	RS-7023	9.87	150-12	RS-7149	319.20
4.6-12	RS-7024	9.87	150-16	RS-7045	313.95
10-5	RS-7025	8.30	150-20	RS-7046	350.70



RING TERMINALS INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
0.75-4	RSI-7501	3.15	2.5-5	RSI-7073	4.62
1-4	RSI-7502	3.15	2.5-5	RSI-7075	6.30
1.5-3	RSI-7054	4.41	2.5-6	RSI-7074	4.62
1.5-3.5	RSI-7055	4.41	2.5-6	RSI-7076	5.57
1.5-3.5	RSI-7058	4.52	2.5-8	RSI-7077	5.67
1.5-4	RSI-7056	4.41	2.5-8	RSI-7079	6.72
1.5-4	RSI-7059	4.52	2.5-10	RSI-7081	7.98
1.5-4	RSI-7061	3.36	4.6-4	RSI-7083	6.72
1.5-4	RSI-7063	4.41	4.6-5	RSI-7084	6.72
1.5-5	RSI-7062	3.36	4.6-5	RSI-7086	7.98
1.5-5	RSI-7065	5.36	4.6-6	RSI-7089	7.67
1.5-5	RSI-7066	5.15	4.6-6	RSI-7092	8.93
1.5-6	RSI-7067	5.36	4.6-6	RSI-7093	9.66
2.5-3	RSI-7068	4.52	4.6-8	RSI-7090	7.98
2.5-3.5	RSI-7069	4.52	4.6-8	RSI-7094	9.66
2.5-3.5	RSI-7070	5.15	4.6-8	RSI-7096	11.66
2.5-4	RSI-7071	4.41	4.6-10	RSI-7099	11.03
2.5-5	RSI-7072	4.41	4.6-12	RSI-7100	11.03

RING TERMINALS DOUBLE GRIP (PRE-INSULATED)

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1.5-3	PSD-7437	4.62	4.6-5	PSD-7469	9.56
1.5-3.5	PSD-7438	4.62	4.6-6	PSD-7472	8.72
1.5-4	PSD-7439	4.62	4.6-8	PSD-7473	9.45
1.5-3.5	PSD-7441	4.62	4.6-6	PSD-7475	10.40
1.5-4	PSD-7442	4.62	4.6-6	PSD-7476	11.66
1.5-4	PSD-7444	4.52	4.6-8	PSD-7477	11.66
1.5-5	PSD-7445	4.52	4.6-8	PSD-7479	12.81
1.5-4	PSD-7446	5.25	4.6-8	PSD-7482	13.86
1.5-5	PSD-7448	5.57	4.6-12	PSD-7483	12.81
1.5-6	PSD-7449	5.57			
1.5-6	PSD-7450	5.78			
2.5-3	PSD-7451	5.57			
2.5-3.5	PSD-7452	5.57			
2.5-3.5	PSD-7453	5.67			
2.5-4	PSD-7454	4.83			
2.5-5	PSD-7455	4.83			
2.5-5	PSD-7456	4.83			
2.5-6	PSD-7457	4.83			
2.5-5	PSD-7458	6.72			
2.5-6	PSD-7459	6.20			
2.5-8	PSD-7460	6.72			
2.5-8	PSD-7462	7.98			
2.5-10	PSD-7464	8.93			
4.6-4	PSD-7466	8.40			
4.6-5	PSD-7467	8.40			



FORK TERMINAL NON-INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1-3	RS-7249SPL	2.63	2.5-5	RS-7280	7.56
1.5-3.5	RS-7249	2.63	4.6-3	RS-7252	4.62
2.5-3.5	RS-7251	2.84	4.6-3.5	RS-7253	4.62



FORK TERMINAL INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1-3	RSI-7926SPL	3.15	2.5-5	RSI-7929	8.61
1.5-3.5	RSI-7926	3.15	4.6-3	RSI-7930	6.20
2.5-3.5	RSI-7928	3.68	4.6-3.5	RSI-7931	6.20

FORK TERMINALS PRE INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1.5-3.5	PSD-7935	4.31	4.6-3	PSD-7939	7.67
2.5-3.5	PSD-7937	4.62	4.6-3.5	PSD-7940	7.67
2.5-5	PSD-7938	11.03			



SNAP ON TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)
1.5	SNP-8351	3.89
1.5	SND-8352	5.46
2.5	SNP-8347	3.99
2.5	SND-8348	5.88
4	SND-8476	10.19
1.5	SND-8359	7.14
1.5	SND-8362	7.14
1.5	SNP-8336	3.89
1.5	SNP-8356	3.89
1.5	SNP-8358	4.52




END SEALING FERRULES INSULATED

mm ² -L	CAT. NO.	PRICE (₹)
0.5-8	EHI-508	1.16
0.75-8	EHI-509	1.16
1-6	EHI-510	1.37
1-10	EHI-511	1.37
1.5-10	EHI-513	1.58
2.5-8	EHI-514	1.58
2.5-12	EHI-515	1.79
4.-12	EHI-517	2.31
6-12	EHI-519	2.73
10-12	EHI-521	3.26
16-15	EHI-525	5.57

COPPER TWIN TYPE LUGS

mm ² -E	LENGTH mm	CAT. NO.	COLOUR NATURAL	PRICE (₹)
0.5-8	8	TW-0.5-8	WHITE	2.73
0.5-10	10	TW-0.5-10	WHITE	2.84
0.75-8	8	TW-0.75-8	GREY	2.73
0.75-10	10	TW-0.75-10	GREY	2.73
1-8	8	TW-1-8	RED	2.84
1-10	10	TW-1-10	RED	2.84
1.5-8	8	TW-1.5-8	BLACK	2.84
1.5-10	10	TW-1.5-10	BLACK	2.84
2.5-8	8	TW-2.5-8	BLUE	3.05
2.5-10	10	TW-2.5-10	BLUE	3.36
4-12	12	TW-4-12	GREY	3.89
6-12	12	TW-6-12	YELLOW	3.89



CABLE GLANDS



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVER ALL DIAMETER	NIPPLE ET THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS	254.10	56	DBF-01SS	327.60	50
12.0-16.5	3/4"	DBW-01S	291.90	50	DBF-01S	352.80	40
16.5-18.5	3/4"	DBW-01	326.55	36	DBF-01	389.55	24
16.5-18.5	1"	DBW-01A	373.80	30	DBF-01A	441.00	30
18.5-20.0	1"	DBW-02	417.90	20	DBF-02	511.35	20
18.5-20.0	3/4"	DBW-02A	431.55	20	DBF-02A	538.65	20
20.0-23.0	1"	DBW-03	443.10	20	DBF-03	578.55	20
23.0-26.0	1"	DBW-04	578.55	12	DBF-04	735.00	12
23.0-26.0	1.1/4"	DBW-04A	651.00	12	DBF-04A	821.10	12
26.0-30.0	1.1/4"	DBW-05	724.50	12	DBF-05	853.65	12
26.0-30.0	1.1/2"	DBW-05A	867.30	12	DBF-05A	990.15	12
30.0-33.0	1.1/2"	DBW-06	1041.60	10	DBF-06	1221.15	8
30.0-33.0	1.1/4"	DBW-06A	1077.30	8	DBF-06A	1276.80	8
33.0-37.0	1.1/2"	DBW-07	1216.95	6	DBF-07	1373.40	6
37.0-41.0	2"	DBW-08	1561.35	6	DBF-08	1702.05	6
41.0-46.0	2"	DBW-09	1723.05	5	DBF-09	1967.70	5
46.0-52.0	2"	DBW-10	1891.05	4	DBF-010	2214.45	4
46.0-52.0	2.1/2"	DBW-10A	2308.95	3	DBF-010A	2515.80	3
52.0-54.0	2.1/2"	DBW-011A	2806.65	2	DBF-011A	3375.75	2
54.0-61.0	2.1/2"	DBW-011	2814.00	2	DBF-011	3092.25	2
61.0-66.0	3"	DBW-012	3436.65	2	DBF-012	3732.75	2
66.0-72.0	3"	DBW-013A	4305.00	1	DBF-013A	5240.55	1
72.0-78.0	3.1/4"	DBW-013	4859.40	1	DBF-013	5883.15	1
78.0-84.0	3.1/2"	DBW-014	5830.65	1	DBF-014	6246.45	1
84.0-94.0	4"	DBW-015	7808.85	1	DBF-015	8499.75	1
94.0-104.0	4.1/2"	DBW-016	10063.20	1	DBF-016	10931.55	1



DC TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	NIPPLE (inch)	PRICE (₹)	INNER PACKING (NOS.)
07.0-14.0	DC-3/8"	DGP10036	5/8"	197.40	64
14.1-15.5	DC-1/2"	DGP10037	5/8"	236.25	50
15.6-17.0	DC-5/8"	DGP10038	3/4"	241.50	46
17.1-18.5	DC-3/4"	DGP10039	3/4"	279.30	28
18.6-19.5	DC-7/8"	DGP10040	3/4"	337.05	24
19.6-22.5	DC-1"	DGP10041	1"	374.85	20
22.6-25.5	DC-1.1/8"	DGP10042	1.1/8"	478.80	15
25.6-31.5	DC-1.1/4"	DGP10043	1.1/4"	631.05	12
31.6-34.5	DC-1.3/8"	DGP10044	1.1/2"	753.90	12
34.6-36.5	DC-1.1/2"	DGP10045	1.1/2"	887.25	8
36.6-44.5	DC-1.3/4"	DGP10046	2"	1220.10	5
44.6-49.5	DC-2"	DGP10047	2"	1398.60	5
49.6-54.5	DC-2.1/4"	DGP10048	2.1/4"	1632.75	4
54.6-63.5	DC-2.1/2"	DGP10049	2.1/2"	2244.90	2
63.6-69.5	DC-2.3/4"	DGP10050	2.3/4"	2534.70	2
69.6-74.5	DC-3"	DGP10051	3"	3120.60	2
74.6-81.0	DC-3.1/4"	DGP10052	3.1/4"	3614.10	1
81.1-86.0	DC-3.1/2"	DGP10053	3.1/2"	4714.50	1
86.1-100.0	DC-4"	DGP10054	4"	6403.95	1

DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS

SR. NO.	SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
1	6.0-12.5	DBW-01SS(UN)	269.85	50
2	12.6-14.0	DBW-01S(UN)	295.05	50
3	14.1-17.0	DBW-01A(UN)	358.05	30
4	17.1-19.0	DBW-02(UN)	455.70	20
5	19.1-22.0	DBW-03SP(UN)	486.15	20
6	22.1-25.0	DBW-04A(UN)	689.85	12
7	25.1-29.0	DBW-05A(UN)	756.00	12
8	29.1-32.0	DBW-06SP(UN)	1057.35	10
9	32.1-35.0	DBW-07SP(UN)	1216.95	6
10	35.1-40.0	DBW-08(UN)	1527.75	6
11	40.1-43.0	DBW-09(UN)	1809.15	5
12	43.1-51.0	DBW-010A(UN)	2229.15	3
13	51.1-59.0	DBW-011SP(UN)	2946.30	2
14	59.1-65.0	DBW-012(UN)	3460.80	2
15	65.1-71.0	DBW-013(UN)	4389.00	1
16	71.1-79.0	DBW-014(UN)	5351.85	1
17	79.1-89.0	DBW-015(UN)	8029.35	1



SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS

SINGLE COMPRESSION GLANDS					SIBG SERIES		
DOWELLS CAT. NO.		PRODUCT CODE	PRICE (₹)	BOX PKG.	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG.
INCH	MM						
3/8"	10	DGP10001	74.87	64	1616	132.30	70
1/2"	12	DGP10002	74.87	128	1619	136.50	50
5/8"	16	DGP10003	74.87	135	2119	219.45	40
3/4"	19	DGP10004	83.27	105	2125	199.50	40
7/8"	22	DGP10005	102.80	84	2925	266.70	24
1"	25	DGP10006	149.10	60	2932	307.65	20
1.1/8"	28	DGP10007	184.80	30	2938	318.15	20
1.1/4"	32	DGP10008	248.85	24	3638	458.85	10
1.3/8"	35	DGP10009	309.75	24	4251	799.05	5
1.1/2"	38	DGP10010	365.40	16	5451	910.35	4
1.3/4"	45	DGP10011	443.10	12	5463	947.10	4
2"	50	DGP10012	541.80	10	6063	1389.15	4
2.1/4"	57	DGP10013	696.15	6	6675	1683.15	3
2.1/2"	63	DGP10014	804.30	5	7882	2428.65	3
2.3/4"	70	DGP10015	1181.25	5			
3"	75	DGP10016	1389.15	4			
3.1/4"	82	DGP10017	1476.30	3			
3.1/2"	88	DGP10018	1946.70	3			
4"	100	DGP10019	2310.00	3			
4.1/2"	112	DGP10020	3678.15	2			



BRASS PG GLAND

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)
2-5	MPG-7	87.26
3-8	MPG-9	113.40
4-10	MPG-11	139.65
5-12	MPG-13.5	182.70
8-14	MPG-16	192.15
12-17	MPG-21	320.25
16-25	MPG-29	645.75
20-32	MPG-36	711.90
28-37	MPG-42	1405.95
32-40	MPG-48	1476.30



FLANGE TYPE CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	PRICE (₹)
12.0-16.0	DOWELLS-5	DGP10021	137.55
16.1-18.0	DOWELLS-4	DGP10022	175.35
18.1-21.0	DOWELLS-3	DGP10023	189.00
21.1-25.0	DOWELLS-2	DGP10024	234.15
25.1-29.0	DOWELLS-1	DGP10025	271.95
29.1-33.0	DOWELLS-11	DGP10026	339.15
33.1-35.0	DOWELLS-0	DGP10027	420.00
35.1-38.0	DOWELLS-00	DGP10028	478.80
38.1-41.0	DOWELLS-38	DGP10029	475.65
41.1-45.0	DOWELLS-001	DGP10030	604.80
45.1-52.0	DOWELLS-002	DGP10031	690.90
52.1-59.0	DOWELLS-003	DGP10032	748.65
59.1-67.0	DOWELLS-0033	DGP10033	906.15
67.1-76.0	DOWELLS-004	DGP10034	1208.55

NYLON PG GLAND

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)
3.5-6	PG-7	22.05
4-8	PG-9	27.30
5-10	PG-11	36.75
6-12	PG-13.5	46.20
10-14	PG-16	54.60
13-18	PG-21	72.45
18-25	PG-29	113.40
22-32	PG-36	180.60
30-38	PG-42	226.80
34-44	PG-48	271.95





FOR GLAND SIZE	EARTH TAG		LSF/LSZH SHROUD	
	DOWELL'S CAT. NO.	PRICE (₹)	SHROUD SIZE/CODE	PRICE (₹)
DBW-01SS/DBF-01SS	DET-20	54.81	2023	33.60
DBW-01S/DBF-01S	DET-20	54.81	2026	42.00
DBW-01/DBF-01	DET-20	54.81	2030	43.05
DBW-01A/DBF-01A	DET-25	57.02	2030A	43.05
DBW-02/DBF-02	DET-25	57.02	2533	52.50
DBW-02A/DBF-02A	DET-20	54.81	2533A	52.50
DBW-03/DBF-03	DET-25	57.02	2535	52.50
DBW-04/DBF-04	DET-25	57.02	4000	106.05
DBW-04A/DBF-04A	DET-32	99.75	4000A	106.05
DBW-05/DBF-05	DET-32	99.75	3246	91.35
DBW-05A/DBF-05A	DET-40	110.25	3246A	91.35
DBW-06/DBF-06	DET-40	110.25	3251	89.25
DBW-06A/DBF-06A	DET-32	99.75	3251A	89.25
DBW-07/DBF-07	DET-40	110.25	4053	106.05
DBW-08/DBF-08	DET-50	148.05	5063	157.50
DBW-09/DBF-09	DET-50	148.05	5068	172.20
DBW-010/DBF-010	DET-50	148.05	6371	268.80
DBW-010A/DBF-010A	DET-63	187.95	6371A	268.80
DBW-011A/DBF-011A	DET-63	187.95	6388A	298.20
DBW-011/DBF-011	DET-63	187.95	6388	298.20
DBW-012/DBF-012	DET-75	261.45	7595	307.65
DBW-013A/DBF-013A	DET-75	261.45	7595A	307.65
DBW-013/DBF-013	DET-82	282.45	7595B	307.65
DBW-014/DBF-014	DET-90	315.00		
DBW-015/DBF-015	DET-100	441.00		
DBW-016/DBF-016	DET-110	897.00		




FIG 1 Terminating the armouring of an swa cable to metallic enclosures

TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.



HAND OPERATED CRIMPING TOOLS

mm ² Range	CAT. NO.	PRICE (₹)	mm ² Range	CAT. NO.	PRICE (₹)
1.5-6	SYT-17	1073.00	6-50	SYT-9	3015.00
0.5-16	SYT-2	1364.00	16-50	SYT-50	4183.00
0.75	SYG-2622	1867.00	25-400	SYT-7	19664.00
1.5	SYG-2216	1867.00	10-35	SYT-53M	2927.00
2.5	SYH-1614	1867.00	0.25-6	SYT-6-6	4269.00
4-6	SYI-1210/SYO-1210	3174.00	120	SYT-120	2235.00
10-95	SYB-95	8777.00	240	SYT-240	3369.00
10-185	SYB-9502	12162.00	500	SYT-500	5776.00
1.5-10	SYA-427	1173.00	0.5-6	SYT-52M	2152.00
10-185	SYT-185	8532.00	1.5-4.6	SYT-1546	2152.00
25-400	SYT-400	15406.00	10-185	SYB-9502H	12763.00
16-300	SYM-300	18601.00	240	SYXL-240	7944.00



HYDRAULIC CRIMPING TOOLS

mm ² Range	CAT. NO.	PRICE (₹)	mm ² Range	CAT. NO.	PRICE (₹)
10-300	SYD-20A	32182.00	10-1000	SYE-150B	57717.00
50-400	SYD-20B	39527.00	10-1000	SYE-150C	50942.00
10-300	SYD-20C	41043.00	16-300	SYT-106	11506.00
10-1000	SYE-150A	52295.00	50-630	SYT-102R	49368.00
10-120	SYT-107	12103.00	50-400	SYT-109	71359.00

SPECS.	DOWELL'S CAT. NO.	PRICE (₹)
Hand Operated Hydraulic Pump (Max. Pressure 10000 P.S.I.)	R-T1242	9794.00
Jack Hose Pipe Standard 2 meters	R-T1349	2,798.00
Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 2HP Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68	SYT-117	198803.00

CORROSION INHIBITING COMPOUND



GTZ - 8785 Rs. 63.00 /-



mm ² Range	DOWELL'S CAT. NO.	PRICE (₹)
UPTO 300	JACK FOR SYD-20A (SPD-2034)	26104.00
UPTO 400	JACK FOR SYD-20B (SPD-2036)(PORTABLE JACK)	24486.00
UPTO 630	JACK FOR SYT-102R (HY-282)(portable jack)	27401.00
UPTO 1000	JACK FOR SYE-150A (SPE-1709)	31016.00
UPTO 1000	JACK FOR SYE-150B (SPE-1713)(PORTABLE JACK)	44075.00



SPECS.	DOWELL'S CAT. NO.	PRODUCT CODE	PRICE (₹)
CRIMPING JIGS FOR SYD-20B TOOL	JDA-50, JDA-70, JDA-95, JDA-120, JDA-150, JDA-240, JDA-300, JDA-400	W-TSA1080, W-TSA1081, W-TSA1082, W-TSA1083, W-TSA1084, W-TSA1085, W-TSA1086, W-TSA1087, W-TSA1088	Rs.1,581/- (each)
CRIMPING JIGS FOR SYE-150 A TOOL	JER-11, JER-12, JER-13, JER-14	W-TSA1125, W-TSA1126, W-TSA1127, W-TSA1128	Rs.2,175/- (each)
	JER-15, JER-16, JER-17, JER-18	W-TSA1129, W-TSA1130, W-TSA1131, W-TSA1132	Rs.2,372/- (each)
CRIMPING JIGS FOR SYE-150 B TOOL	JEA-10, JEA-16, JEA-25, JEA-35	W-TSA1063, W-TSA1064, W-TSA1065, W-TSA1066	Rs.1,878/- (each)
	JEA-50, JEA-70, JEA-95, JEA-120, JEA-150	W-TSA1067, W-TSA1068, W-TSA1069, W-TSA1070, W-TSA1071	Rs.2,668/- (each)
	JEA-185, JEA-140, JEA-300, JEA-400	W-TSA1072, W-TSA1073, W-TSA1074, W-TSA1075	Rs.3,736/- (each)
	JEA-500, JEA-600, JEA-800, JEA-1000	W-TSA1076, W-TSA1077, W-TSA1078, W-TSA1079	Rs.5,059/- (each)
JIG FOR SYB-95/9502 RING DIES	JBR-1, JBR-2, JBR-3, JBR-4, JBR-5, JBR-6, JBR-7, JBR-9, JBR-10, JBR-11	W-TSA1024, W-TSA1025, W-TSA1026, W-TSA1027, W-TSA1037, W-TSA1028, W-TSA1029, W-TSA1030, W-TSA1031, W-TSA1032	Rs.344/- (each)
JIG FOR SYB-95/9502 PUNCH TYPE RING DIES	JBR-12, JBR-13	W-TSA1033, W-TSA1043	Rs.421/- (each)
CRIMPING JIG FOR SYT-185 (PLIER TYPE)	R-1, R-2, R-3, R-4, R-5, R-6, R-7, R-9, R-10, R-11, R-12, R-13	W-TSA1034, W-TSA1035, W-TSA1145, W-TSA1036, W-TSA1146, W-TSA1147, W-TSA1038, W-TSA1039, W-TSA1040, W-TSA1041, W-TSA1042, W-TSA1148	Rs.414/- (each)
CRIMPING JIG FOR SYT-7 (Hex profile) (Mechanical gear power)	JRH-25, JRH-35, JRH-50, JRH-70, JRH-95, JRH-120, JRH-150, JRH-185, JRH-240, JRH-300, JRH-400	W-TSA1150, W-TSA1151, W-TSA1152, W-TSA1153, W-TSA1154, W-TSA1155, W-TSA1156, W-TSA1157, W-TSA1158, W-TSA1159, W-TSA1160	Rs.1,086/- (each)
JIG FOR SYT-102R (Hex profile) (Foot operated hydraulic crimping tool)	HY-267 (50 mm ²), HY-268 (70 mm ²), HY-269 (95 mm ²), HY-270 (120 mm ²), HY-271 (150 mm ²), HY-272 (185 mm ²), HY-273 (240 mm ²), HY-274 (300 mm ²), HY-275 (400 mm ²), HY-279 (500 mm ²), HY-280 (630 mm ²)	W-TSA1114, W-TSA1115, W-TSA1116, W-TSA1117, W-TSA1118, W-TSA1119, W-TSA1120, W-TSA1121, W-TSA1122	Rs.2,043/- (each)
JIG FOR SYT-400 Hex Profile (plier type)	J-25, J-35, J-50, J-70, J-95, J-120, J-150, J-185, J-240, J-300, J-400	W-TSA1044, W-TSA1045, W-TSA1046, W-TSA1047, W-TSA1048, W-TSA1049, W-TSA1050, W-TSA1051, W-TSA1052, W-TSA1053, W-TSA1054	Rs.812/- (each)
CRIMPING JIGS FOR SYD-20 A TOOL	JDR-11, JDR-12, JDR-13, JDR-14, JDR-15	W-TSA1161, W-TSA1162, W-TSA1163, W-TSA1164, W-TSA1165	Rs.1,384/- (each)
CRIMPING JIGS FOR SYD-20 A TOOL	JDR-16	W-TSA1166	Rs.2,371/- (each)



AN ISO 9001:2015 CERTIFIED CO.



Connection Zindagi Ka

Manufactured By:

Dowells Cable Accessories Pvt. Ltd.

(Subsidiary company of POLYCAB INDIA LIMITED)

Unit-7, Plot No. 74/P, 74/1/P, 74/2/1, 74/2/2,80, Village:Vaseti,Taluka :
Halol, Dist.: Panchmahals, Gujarat 389352, India.

Corporate & Head Office: POLYCAB INDIA LIMITED,

The Ruby, 20th & 21st floor, Senapati Bapat Marg,Tulsi Pipe Road,
Dadar West, Mumbai – 400 028, Maharashtra, India.

Email: customercare@polycab.com | Toll Free No. : 1800 267 0008

Website: www.dowellscableaccessories.com

Authorised Dealer